

Mallia™

WOW
MORE
CHOICES
NOW

Express Yourself Like Never Before

 legrand®

SPOILT FOR CHOICE

Mixing colours is a breeze with Mallia™. With new rocker colours added to the range, there are now even more exciting possibilities.



WOW A visual treat / 4 /

MORE An enduring form / 8 /

CHOICES For every purpose / 10 /

NOW An easy fix / 14 /

SHOP Catalogue pages / 16 /



WOW

Designed to Impress

How about introducing an extra oomph to your house?
The two new Mallia rocker colours, Matt Black and Champagne, are designed for just that purpose.



Matt Black with Silver rocker



Copper with Matt Black rocker



Champagne with Pearl rocker



Bronze with Champagne rocker



A Style that Never Gets Dated

When the conventional White, graceful light Silver, classy Pearl and cool Dark Silver meet the mysterious Matt Black and chic Champagne, you will get alluring elegance and uncompromising simplicity – like always.




Champagne



Matt Black



Silver



Pearl



White



Dark Silver




Matt Black

Smooth to the touch and complete with a sleek profile, the Matt Black series is unquestionably a stunning addition to any modern home.



An Enduring Form

Each curve and detail of Mallia™ exudes uniqueness.



Colour and finish converge into a pristine whole.



Slim profile to fit every space and design.





Champagne

Absolute elegance, enhanced by a dignified and enduring style, the timeless Champagne series promises to introduce a touch of sophistication to your beautiful home.

Metal

Two different textures to provide a distinctive touch, the Brushed and Polished Stainless Steel series are among the most versatile in the Mallia™ range.



Brushed Stainless Steel



Polished Stainless Steel

MORE

Full Colour

Introducing the new additions to the Mallia™ family – Matt Black and Champagne. While Matt Black exudes an air of mystery, Champagne embodies familiarity and finesse. Together, they inspire your creativity.



Mix and Match

Let the spectrum of Mallia™ colours delight your visual senses. Whether you are in the mood to pack in some colours and spice things up or keep it pure and simple for a touch of authenticity, Mallia™ presents you with the freedom to go with full colour or mix and match – it's your call.





Brushed Stainless Steel
with Silver rocker



White



Lacquered Black with
Dark Silver rocker



Dark Silver



Pearl



Gold with Champagne
rocker



Silver



Copper with Pearl rocker



Bronze with
Champagne rocker



Champagne with
Dark Silver rocker



Polished Stainless Steel
with Matt Black rocker



Silver with
Dark Silver rocker



CHOICES



The Universal Dimmer

We promise you will love the Mallia™ Universal Dimmers. This is one device that does it all – dim and control dimmable LEDs and CFL, halogen or incandescent lamps. Enabling you to harness the full energy efficiency potential of modern loads is our way of reciprocating your loyalty.



LED



CFL



Halogen



Incandescent





The Multi-standard Socket

Powering international appliances is made easy with the Mallia™ multi-standard socket. Suitable for every type of plug found around the world, it is the perfect complement for any environment hosting global visitors.



Even more versatile than before

No matter what modern lifestyle demands you may have, you are well covered with Mallia™. Every care has been taken to make Mallia™ friendlier and more synchronised with your modern lifestyle, so you can be certain that Mallia™'s form always complements the function and you get a complete experience.



1 to 3 gang transparent rockers consist of 3 layers: rocker, blank label and transparent cover.



Full surface blank label holders allow you to display customised pictures, wallpapers and easy-to-read indicator labels!





3-gang switch



4-gang switch



Rotary dimmer



Automatic switch



Telephone socket



FM-TV socket



Fan speed control



BS socket outlet



Indicator for Do not disturb /
Clean up and bell push-button



Data socket



Multistandard switched socket outlets



N W




Not only does Mallia™ offer form and function, we also take care to ensure that the installation process is effortless.



The resilient and flexible material used for the plates makes them easy to mount on uneven surfaces.




Slim mechanism design leaves room for larger wiring space in the box.



Mallia™ plates and gang units are interchangeable and easy to install. Simply wire the gang units and clip on the colour plates that suit your designs best.



The safety mark label proves conformity to BS standards. Insulated frame - designed with safety in mind.



Top access screws for connecting the wires make installation a piece of cake.

SHOP

There's no better test for our relationship than to make a durable commitment. Let's take the next step together. Start shopping.



Mallia™

single pole switches - complete white



2 810 00



2 810 04



2 810 10



2 810 16

Conform to BS EN 60669-1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
10	2 810 00	1 gang - 1-way switch ○ White
10	2 810 01	1 gang - 2-way switch ○ White
4	2 810 08	1 gang - intermediate switch ○ White
10	2 810 02	2 gang - 1-way switch ○ White
10	2 810 03	2 gang - 2-way switch ○ White
10	2 810 04	3 gang - 1-way switch ○ White
10	2 810 05	3 gang - 2-way switch ○ White
10	2 810 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
Transparent phosphorescent lens To be equipped with green or red LED according to the needs: indicator or locator (p. 31) The LED is not supplied		
10	2 810 10	1 gang - 1-way switch ○ White
10	2 810 11	1 gang - 2-way switch ○ White
4	2 810 09	1 gang - intermediate switch ○ White
10	2 810 12	2 gang - 1-way switch ○ White
10	2 810 13	2 gang - 2-way switch ○ White
10	2 810 14	3 gang - 1-way switch ○ White
10	2 810 15	3 gang - 2-way switch ○ White
10	2 810 16	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 17	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Mallia™

single pole switches and double pole switches - complete white



2 810 50



2 810 53



2 810 62



2 810 72

Conform to BS EN 60669-1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
10	2 810 50	1 gang - 1-way switch ○ White
10	2 810 51	1 gang - 2-way switch ○ White
4	2 810 69	1 gang - intermediate switch ○ White
10	2 810 52	2 gang - 1-way switch ○ White
10	2 810 53	2 gang - 2-way switch ○ White
10	2 810 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 60	Double pole switches 20 AX - 250 V~ Equipped with earth link connector 1 gang - 1-way ○ White
10	2 810 61	1 gang - 1-way with LED power indicator ○ White
10	2 810 62	1 gang - 1-way with LED power indicator and "WATER HEATER" marking ○ White

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
10	2 810 65	Equipped with earth link connector 2 gang - 1-way with LED power indicator ○ White
10	2 810 66	1 gang - 1-way with LED power indicator and cable outlet ○ White
10	2 810 67	1 gang - 1-way with LED power indicator and cable outlet, "WATER HEATER" marking ○ White
10	2 810 68	1 gang - 2-way with "WATER HEATER" marking ○ White
10	2 810 71	Double pole switches 45 A - 250 V~ 1 gang - 1-way with red indicator ○ White
10	2 810 72	1 gang - 1-way with red indicator and cooker marking ○ White
5	2 810 73	2 gang - 1-way vertical switch with red indicator Dim.: 86 x 146 mm ○ White

Mallia™

push-buttons, dimmers, automatic switches and other lighting functions - complete white



2 810 40



2 810 84



2 810 91




















2 810 75

Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos		Pack	Cat.Nos	
		Push-buttons 10 A - 250 V\sim			Programmable switch
10	2 810 41	Conform to BS EN 60669-1 N/O contact (push to make) ○ White 	1	2 810 92	Conform to BS EN 60669-2-1 Power supply: 230 VA - 50/60 Hz Maximum load: 2300 W Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact ○ White
10	2 810 40	N/O contact with bell symbol ○ White 			Time delay switch
		RLC + LED dimmer			400 VA rotary fan control
1	2 810 86	Rotary dimmer without neutral Conform to BS EN 60669-2-1 100-240 V \sim for all types of dimmable bulbs: - dimmable LED: 5 to 75 W (10 bulbs max.) - dimmable compact fluorescent bulbs: 5 to 75 W (10 bulbs max.) - fluorescent tube with ballast: 5 to 300 VA - halogen and incandescent: 5 to 300 W - electronic or ferromagnetic transformers: 5 to 300 VA When switched on, gradually (2 seconds) lights up at the level set before last switch off 	1	2 810 91	Conform to BS EN 60669-2-1 Adjustable time from 5 min to 12 h Maximum load: 500 W incandescent and halogen lamps 230 V \sim 250 W fluorescent lamps without capacitor ○ White
		Leading edge dimmers			5-speed fan control
1	2 810 80	Conform to BS EN 60669-2-1 Rotary control dimmer 60-500 W for incandescent and halogen lamps 230 V \sim 60-500 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39 ○ White 	1	2 810 82	100 W for fan with overall diameter 48" ○ White
1	2 810 84	Rotary control dimmer + switch 60-500 W for incandescent and halogen lamps 230 V \sim 60-200 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39 ○ White 			Cooker control unit 45 A - 250 V\sim
1	2 810 85	Rotary dimmer 60-1000 W (230 V) 60-500 W (127 V) for incandescent and halogen lamps 60-600 VA (230 V) 60-300 VA (127 V) for halogen lamps with electronic transformer with leading edge behaviour 60-1000 VA (230 V) 60-500 W (127 V) for halogen lamps with ferromagnetic transformers ○ White 	5	2 810 75	Conform to BS 4177 45 A DP switch + 13 A switched socket outlet with red indicator Dim.: 146 x 86 mm ○ White
					Automatic switch
			1	2 810 90	Conform to BS EN 60669-2-1 IR movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1614 lux Temporization: 20 s - 15 min Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V \sim ○ White




Polycarbonate front cover plates with a matt finish. Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes. Supplied complete with plate. Dim.: 86 x 86 mm

Pack	Cat.Nos	Telephone sockets	Pack	Cat.Nos	Television sockets
5	2 811 60	RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ○ White 	5	2 811 57	For DVBT and satellite installation (with individual demodulator) DVBT HDTV compatible TV: male connector (Ø9.5 mm) R: female connector (Ø9.5 mm) SAT: "F" type connector Recommended coaxial cable: 17 VATC TV-R-SAT socket TV: 5-68/120 - 862 MHz R: 87.5-108 MHz SAT: 950-2400 MHz Star low attenuation 1.5 dB ○ White 
5	2 811 63	Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ○ White 	5	2 811 53	TV-R socket TV: 5-68/120 - 862 MHz R: 87.5-108 MHz Star 1.5 dB ○ White 
5	2 811 68	BS master telephone sockets ○ White 	10	2 811 51	TV socket TV: 0-2400 MHz Star low attenuation 1 dB ○ White 
5	2 811 69	BS secondary telephone sockets ○ White 	10	2 811 52	TV socket "F" type with screws SAT: 0-2400 MHz Star attenuation 1 dB ○ White 
10	2 811 70	2 A - 3 pin sockets ○ White 	5	2 811 35	Shaver socket Conform to BS EN 61558-2-5 230 V / 120 V ~ - 50/60 Hz. Dim.: 86 x 146 mm ○ White 
5	2 811 61	Data sockets RJ 45 Cat. 5e UTP ○ White 	5	2 811 66	Cable outlets Conform to BS 5733 20 A ○ White 
5	2 811 62	RJ 45 Cat. 6 UTP ○ White 	5	2 811 48	45 A ○ White 
5	2 811 64	Double RJ 45 Cat. 5e UTP ○ White 			
5	2 811 65	Double RJ 45 Cat. 6 UTP ○ White 			
5	2 811 66	Telephone and data sockets RJ 11 + RJ 45 sockets Cat. 5e UTP ○ White 			

Mallia™

British standard socket outlets and fused connection units - complete white



Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 All sockets integrate child protection
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
10	2 811 10	Conform to BS 1363: Part 2 1 gang unswitched ○ White
5	2 811 12	2 gang unswitched Dim.: 146 x 86 mm ○ White
10	2 811 11	1 gang - single pole switched ○ White
10	2 811 14	1 gang - single pole switched with red power indicator ○ White
5	2 811 13	2 gang - single pole switched Dim.: 146 x 86 mm ○ White
5	2 811 15	2 gang - single pole switched with red power indicator Dim.: 146 x 86 mm ○ White
10	2 811 16	1 gang - double pole switched ○ White
10	2 811 18	1 gang - double pole switched with red power indicator ○ White
5	2 811 17	2 gang - double pole switched Dim.: 146 x 86 mm ○ White
5	2 811 19	2 gang - double pole switched with red power indicator Dim.: 146 x 86 mm ○ White

Pack	Cat.Nos	British standard socket outlets 15 A - 250 V~
10	2 811 27	Conform to BS 546 1 gang unswitched ○ White
10	2 811 28	1 gang switched ○ White
10	2 811 29	1 gang switched, with red LED power indicator ○ White

Pack	Cat.Nos	British standard socket outlets 5 A - 250 V~
10	2 811 31	Conform to BS 546 1 gang unswitched ○ White
10	2 811 32	1 gang switched ○ White

Pack	Cat.Nos	13 A fused connection units
10	2 811 40	Conform to BS 1363: Part 4 Unswitched ○ White
10	2 811 41	Switched ○ White
10	2 811 42	Switched with red LED power indicator ○ White

Mallia™

Euro-US and German standard socket outlets - complete white



2 811 00

2 811 22

Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 All sockets integrate child protection
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Euro-US standard socket outlets 10/16 A - 250 V~
10	2 811 00	2P - 1 gang ○ White
10	2 811 01	2P - 1 gang + 10 A switch ○ White
10	2 811 02	2P - 2 gang (separated connection) ○ White
10	2 811 03	2P+E - 1 gang ○ White
10	2 811 04	2P+E - 2 gang ○ White

10	2 811 26	German standard socket outlet 16 A - 250 V~ 2P+E - 1 gang ○ White
----	----------	---

10	2 811 20	Multistandard switched socket outlets 16 A - 250 V~ 15 A - 127 V 2P+E - 1 gang ○ White
10	2 811 22	2P+E - 2 gang ○ White

10	2 811 05	US standard socket outlets 15 A - 127 V 2P+E - 1 gang ○ White
10	2 811 06	2P+E - 2 gang ○ White

Mallia™

modular sockets - white



2 818 55

2 818 58

2 819 30 (see p. 32)

Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 All sockets integrate child protection
 Dim.: 146 x 86 mm

Pack	Cat.Nos	Socket outlets modular mechanisms
		To be equipped with 2-gang support frame and plates (p. 32)
5	2 818 55	1 gang unswitched - British standard - 13 A - 250 V~ ○ White
5	2 818 58	1 gang switched - British standard - 13 A - 250 V~ ○ White
8	2 818 47	2P+E - 1 gang - Euro - US standard - 10/16 A - 250 V~ ○ White

Mallia™

switches for hotels, downlighter and sound distribution - complete white



2 810 48



2 810 97



2 811 82



2 811 84

Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
1	2 810 48	Key card switch - 15 A Time delay around 30 s ○ White
10	2 810 45	Do not disturb / Occupied / Clean up Bell push-button ○ White
10	2 810 46	Do not disturb / Clean up - 2 gang switch ○ White
5	2 810 97	Downlighter Low output downlighter 230 V~, with LED 2P+E - 1 gang ○ White

Pack	Cat.Nos	Stand-alone sound distribution system for 1 single room
1	2 811 80	Kit containing: - 1 power supply - 1 tuner - 2 loudspeakers ○ White
1	2 811 81	Configurable sound distribution system for several rooms Modular power supply 230 V / 15 V - 15 W 5 DIN modules 17.5 mm
1	2 811 82	Central unit ○ White
1	2 811 83	Local control unit With LCD display, child surveillance and intercommunication ○ White
1	2 811 84	Radio tuner with local control unit Dim.: 146 x 86 mm ○ White
1	2 811 85	Loudspeaker ○ White

Mallia™

single pole switches - customisable colours



2 838 00



2 830 02



2 820 04



2 830 12 + 2 819 98



2 834 16 + 2 819 97

Plate selection charts p. 32

Conform to BS EN 60669-1
 Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates. Dim.: 86 x 86 mm

Pack Cat.Nos Single pole standard switches 10 AX - 250 V~

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
5	2 830 00	1 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 00	
5	2 834 00	
5	2 838 00	
5	2 820 00	
5	2 830 01	1 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 01	
5	2 834 01	
5	2 838 01	
5	2 820 01	
4	2 830 08	1 gang - intermediate switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne
4	2 832 08	
4	2 834 08	
4	2 838 08	
5	2 830 02	2 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 02	
5	2 834 02	
5	2 838 02	
5	2 820 02	
5	2 830 03	2 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 03	
5	2 834 03	
5	2 838 03	
5	2 820 03	
5	2 830 04	3 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 04	
5	2 834 04	
5	2 838 04	
5	2 820 04	
5	2 830 05	3 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 05	
5	2 834 05	
5	2 838 05	
5	2 820 05	
5	2 830 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 06	
5	2 834 06	
5	2 838 06	
5	2 820 06	
5	2 830 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 07	
5	2 834 07	
5	2 838 07	
5	2 820 07	

Pack Cat.Nos Single pole illuminated switches 10 AX - 250 V~

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
Transparent phosphorescent lens To be equipped with green or red LED according to the needs: indicator or locator (p. 31) The LED is not supplied		
5	2 830 10	1 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 10	
5	2 834 10	
5	2 830 11	1 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 11	
5	2 834 11	
4	2 830 09	1 gang - intermediate switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
4	2 832 09	
4	2 834 09	
5	2 830 12	2 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 12	
5	2 834 12	
5	2 830 13	2 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 13	
5	2 834 13	
5	2 830 14	3 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 14	
5	2 834 14	
5	2 830 15	3 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 15	
5	2 834 15	
5	2 830 16	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 16	
5	2 834 16	
5	2 830 17	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 17	
5	2 834 17	

Mallia™

single pole switches and double pole switches - customisable colours



2 838 50



2 834 53



2 830 54



2 820 62



2 834 66



Plate selection charts p. 32

Conform to BS EN 60669-1
 Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
5	2 830 50	1 gang - 1-way switch <ul style="list-style-type: none"> Silver Pearl Dark Silver Champagne
5	2 832 50	
5	2 834 50	
5	2 838 50	
5	2 830 51	1 gang - 2-way switch <ul style="list-style-type: none"> Silver Pearl Dark Silver Champagne
5	2 832 51	
5	2 834 51	
5	2 838 51	
4	2 830 69	1 gang - intermediate switch <ul style="list-style-type: none"> Silver Pearl Dark Silver
4	2 832 69	
4	2 834 69	
5	2 830 52	2 gang - 1-way switch <ul style="list-style-type: none"> Silver Pearl Dark Silver Champagne
5	2 832 52	
5	2 834 52	
5	2 838 52	
5	2 830 53	2 gang - 2-way switch <ul style="list-style-type: none"> Silver Pearl Dark Silver Champagne
5	2 832 53	
5	2 834 53	
5	2 838 53	
5	2 830 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> Silver Pearl Dark Silver Champagne
5	2 832 54	
5	2 834 54	
5	2 838 54	
5	2 830 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> Silver Pearl Dark Silver Champagne
5	2 832 55	
5	2 834 55	
5	2 838 55	
		Double pole switches 20 AX - 250 V~
		Equipped with earth link connector
5	2 830 60	1 gang - 1-way <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 832 60	
5	2 834 60	
5	2 830 61	1 gang - 1-way with LED power indicator <ul style="list-style-type: none"> Silver Pearl Dark Silver Champagne Matt Black
5	2 832 61	
5	2 834 61	
5	2 838 61	
5	2 820 61	

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~ (continued)
5	2 830 62	1 gang - 1-way with LED power indicator and "WATER HEATER" marking <ul style="list-style-type: none"> Silver Pearl Dark Silver Champagne Matt Black
5	2 832 62	
5	2 834 62	
5	2 820 62	
5	2 830 65	2 gang - 1-way with LED power indicator <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 832 65	
5	2 834 65	
5	2 830 66	1 gang - 1-way with LED power indicator and cable outlet <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 832 66	
5	2 834 66	
5	2 830 67	1 gang - 1-way with LED power indicator and cable outlet, "WATER HEATER" marking <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 832 67	
5	2 834 67	
5	2 830 68	1 gang - 2-way with "WATER HEATER" marking <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 832 68	
5	2 834 68	
		Double pole switches 45 A - 250 V~
5	2 830 71	1 gang - 1-way with red indicator <ul style="list-style-type: none"> Silver Pearl Dark Silver Champagne Matt Black
5	2 832 71	
5	2 834 71	
5	2 838 71	
5	2 820 71	
5	2 830 72	1 gang - 1-way with red indicator and cooker marking <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 832 72	
5	2 834 72	
5	2 830 73	2 gang - 1-way vertical switch with red indicator Dim.: 86 x 146 mm Use special plates (p. 31) <ul style="list-style-type: none"> Silver Pearl Dark Silver Champagne
5	2 832 73	
5	2 834 73	
5	2 838 73	



2 830 84



2 834 90



2 838 86



2 817 75

Plate selection charts p. 32

Painted polycarbonate front cover. Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates - Dim.: 86 x 86 mm

Push-buttons 10 A - 250 V~

Pack	Cat.Nos	Color
5	2 830 41	Silver
5	2 832 41	Pearl
5	2 834 41	Dark Silver
5	2 838 41	Champagne
5	2 820 41	Matt Black
5	2 830 40	Silver
5	2 832 40	Pearl
5	2 834 40	Dark Silver
5	2 838 40	Champagne
5	2 820 40	Matt Black

Conform to BS EN 60669-1
N/O contact (push to make)

- Silver
- Pearl
- Dark Silver
- Champagne
- Matt Black

N/O contact with bell symbol

- Silver
- Pearl
- Dark Silver
- Champagne
- Matt Black

RLC + LED dimmer

Rotary dimmer without neutral
Conform to BS EN 60669-2-1
100-240 V~ for all types of dimmable bulbs:
- dimmable LED: 5 to 75 W (10 bulbs max.)
- dimmable compact fluorescent bulbs: 5 to 75 W (10 bulbs max.)
- fluorescent tube with ballast: 5 to 300 VA
- halogen and incandescent: 5 to 300 W
- electronic or ferromagnetic transformers: 5 to 300 VA
When switched on, gradually (2 seconds) lights up at the level set before last switch off

NEW FUNCTION

Pack	Cat.Nos	Color
1	2 830 86	Silver
1	2 832 86	Pearl
1	2 834 86	Dark Silver
1	2 838 86	Champagne
1	2 820 86	Matt Black

Leading edge dimmers

Conform to BS EN 60669-2-1
Rotary control dimmer
60-500 W for incandescent and halogen lamps
230 V~. 60-500 VA ELV halogen lamps with ferromagnetic transformer and compensator
Cat.No 0 401 39

Pack	Cat.Nos	Color
1	2 830 80	Silver
1	2 832 80	Pearl
1	2 834 80	Dark Silver
1	2 838 80	Champagne
1	2 820 80	Matt Black

Rotary control dimmer + switch

60-500 W for incandescent and halogen lamps
230 V~. 60-200 VA ELV halogen lamps with ferromagnetic transformer and compensator
Cat.No 0 401 39

Pack	Cat.Nos	Color
1	2 830 84	Silver
1	2 832 84	Pearl
1	2 834 84	Dark Silver

Rotary dimmer

60-1000 W (230 V) - 60-500 W (127 V) for incandescent and halogen lamps
60-600 VA (230 V) 60-300 VA (127 V) for halogen lamps with electronic transformer with leading edge behaviour. 60-1000 VA (230 V) 60-500 W (127 V) for halogen lamps with ferromagnetic transformers

Pack	Cat.Nos	Color
1	2 830 85	Silver
1	2 832 85	Pearl
1	2 834 85	Dark Silver

Programmable switches

Pack	Cat.Nos	Color
1	2 830 92	Silver
1	2 832 92	Pearl
1	2 834 92	Dark Silver

Conform to BS EN 60669-2-1
Power supply: 230 V~ - 50/60 Hz
Maximum load: 2300 W
Weekly programme
Capacity: max. 28 programmes
Output: 1 changeover contact

- Silver
- Pearl
- Dark Silver

Time delay switches

Pack	Cat.Nos	Color
1	2 830 91	Silver
1	2 832 91	Pearl
1	2 834 91	Dark Silver

Conform to BS EN 60669-2-1
Adjustable time from 5 min to 12 h
Maximum load:
500 W incandescent and halogen lamps 230 V~
250 W fluorescent lamps without capacitor

- Silver
- Pearl
- Dark Silver

Fan speed controls

Pack	Cat.Nos	Color
1	2 830 81	Silver
1	2 832 81	Pearl
1	2 834 81	Dark Silver
1	2 830 82	Silver
1	2 832 82	Pearl
1	2 834 82	Dark Silver

Conform to BS EN 60669-2-1
400 VA rotary fan controls

- Silver
- Pearl
- Dark Silver

5-speed fan controls

100 W for fan with overall diameter 48"

Cooker control units 45 A - 250 V~

Pack	Cat.Nos	Color
5	2 812 75	Silver
5	2 832 75	Pearl
5	2 834 75	Dark Silver
5	2 817 75	Champagne

Supplied complete with plate
Conform to BS 4177
45 A DP switch + 13 A switched socket outlet with red indicator
Dim.: 146 x 86 mm

- Silver
- Pearl
- Dark Silver
- Champagne

Automatic switches

Pack	Cat.Nos	Color
1	2 830 90	Silver
1	2 832 90	Pearl
1	2 834 90	Dark Silver

Conform to BS EN 60669-2-1
IR movement detector
Horizontal detection angle 180°
Luminosity threshold: 43 to 1614 lux
Temporization: 20 s - 15 min
Detection range: max. 12 m
Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V~

- Silver
- Pearl
- Dark Silver

Mallia™

telephone, data, television, shaver sockets and cable outlets - customisable colours



2 831 62



2 835 65



2 835 51



2 839 35

Plate selection charts **p. 32**

Painted polycarbonate front cover. Compact mechanism for a larger wiring space.
Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates - Dim.: 86 x 86 mm

Pack	Cat.Nos	Telephone sockets	Pack	Cat.Nos	Television sockets
5	2 831 60	RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector <ul style="list-style-type: none"> Silver Pearl Dark Silver Champagne Matt Black 	5	2 831 57	For DVBT and satellite installation (with individual demodulator) Recommended coaxial cable 17 VATC TV-R-SAT sockets - star attenuation 1.5 dB TV: 5-68/120-862 MHz. R: 87.5-108 MHz SAT: 550-2400 MHz. TV: male connector (Ø9.5 mm) <ul style="list-style-type: none"> Silver Pearl Dark Silver Champagne Matt Black
5	2 833 60		5	2 833 57	
5	2 835 60		5	2 835 57	
5	2 839 60		5	2 839 57	
5	2 821 60		5	2 821 57	
5	2 831 63	Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector <ul style="list-style-type: none"> Silver Pearl Dark Silver 	5	2 831 53	TV-R sockets - star attenuation 1.5 dB TV: 5-68/120-862 MHz R: 87.5-108 MHz <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 63		5	2 833 53	
5	2 835 63		5	2 835 53	
5	2 831 68	BS master telephone sockets <ul style="list-style-type: none"> Silver Pearl Dark Silver 	5	2 831 51	TV sockets - star attenuation 1.5 dB TV: 0-2400 MHz <ul style="list-style-type: none"> Silver Pearl Dark Silver Champagne Matt Black
5	2 833 68		5	2 833 51	
5	2 835 68		5	2 835 51	
5	2 831 69	BS secondary telephone sockets <ul style="list-style-type: none"> Silver Pearl Dark Silver 	5	2 839 51	TV sockets "F" type with screws - star attenuation 1.5 dB SAT: 0-2400 MHz <ul style="list-style-type: none"> Silver Pearl Dark Silver Champagne Matt Black
5	2 833 69		5	2 839 52	
5	2 835 69		5	2 821 52	
5	2 831 70	2 A - 3 pin sockets <ul style="list-style-type: none"> Silver Pearl Dark Silver 	5	2 831 52	Shaver sockets Conform to BS EN 61558-2-5 230 V / 120 V~ - 50/60 Hz Dim.: 86 x 146 mm <ul style="list-style-type: none"> Silver Pearl Dark Silver Champagne Matt Black
5	2 833 70		1	2 831 35	
5	2 835 70		1	2 833 35	
5	2 831 61	Data sockets RJ 45 Cat. 5e UTP <ul style="list-style-type: none"> Silver Pearl Dark Silver 	1	2 835 35	20 A Conform to BS 5733 <ul style="list-style-type: none"> Silver Pearl Dark Silver Champagne Matt Black
5	2 833 61		1	2 839 35	
5	2 835 61		1	2 821 35	
5	2 831 62	RJ 45 Cat. 6 UTP <ul style="list-style-type: none"> Silver Pearl Dark Silver 	5	2 831 47	45 A - supplied complete with plate <ul style="list-style-type: none"> Silver Pearl Dark Silver Champagne
5	2 833 62		5	2 833 47	
5	2 835 62		5	2 835 47	
5	2 831 64	Double RJ 45 Cat. 5e UTP <ul style="list-style-type: none"> Silver Pearl Dark Silver 	5	2 839 47	
5	2 833 64		5	2 821 47	
5	2 835 64				
5	2 831 65	Double RJ 45 Cat. 6 UTP <ul style="list-style-type: none"> Silver Pearl Dark Silver 	5	2 831 48	
5	2 833 65		5	2 833 48	
5	2 835 65		5	2 835 48	
5	2 831 66	Telephone and data sockets RJ 11 + RJ 45 sockets Cat. 5e UTP <ul style="list-style-type: none"> Silver Pearl Dark Silver 	5	2 839 48	
5	2 833 66				
5	2 835 66				



2 839 13



2 817 16



2 821 28



2 833 42

 Plate selection charts **p. 32**

 Painted polycarbonate front cover. Compact mechanism for a larger wiring space
 Supplied with 2 screws. M 3.5 for BS boxes. All sockets integrate child protection. To be equipped with plates. Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V $\tilde{}$	Pack	Cat.Nos	British standard socket outlets 15 A - 250 V $\tilde{}$
5	2 831 10	Conform to BS 1363: Part 2 1 gang unswitched ● Silver ● Pearl ● Dark Silver ● Champagne	5	2 831 27	Conform to BS 546 1 gang unswitched ● Silver ● Pearl ● Dark Silver
5	2 833 10		5	2 833 27	
5	2 835 10		5	2 835 27	
5	2 839 10		2 gang unswitched - Dim.: 146 x 86 mm ● Silver ● Pearl ● Dark Silver ● Champagne	5	2 831 28
5	2 831 12	5	2 833 28		
5	2 833 12	5	2 835 28		
5	2 835 12	5	2 839 28		
5	2 839 12	5	2 821 28		
5	2 831 11	1 gang - single pole switched ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black	5	2 831 29	1 gang switched, with red LED power indicator ● Silver ● Pearl ● Dark Silver
5	2 833 11		5	2 833 29	
5	2 835 11		5	2 835 29	
5	2 821 11		1 gang - single pole switched with red power indicator ● Silver ● Pearl ● Dark Silver ● Champagne	British standard socket outlets 5 A - 250 V$\tilde{}$ Conform to BS 546 1 gang unswitched ● Silver ● Pearl ● Dark Silver	
5	2 831 14	2 gang - single pole switched - Dim.: 146 x 86 mm ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black	5	2 831 31	1 gang switched ● Silver ● Pearl ● Dark Silver ● Champagne
5	2 833 14		5	2 833 31	
5	2 835 14		5	2 835 31	
5	2 839 14		5	2 831 32	13 A fused connection units Conform to BS 1363: Part 4 Unswitched ● Silver ● Pearl ● Dark Silver
5	2 831 13	5	2 833 32		
5	2 833 13	5	2 835 32		
5	2 839 13	5	2 839 32		
5	2 821 13	2 gang - single pole switched with red power indicator - Dim.: 146 x 86 mm ● Silver ● Pearl ● Dark Silver	Switched ● Silver ● Pearl ● Dark Silver		
5	2 831 15	British standard double pole socket outlets 13 A - 250 V$\tilde{}$ Supplied complete with plate 1 gang - double pole switched ● Silver ● Pearl ● Dark Silver ● Champagne	5	2 831 41	Switched with red LED power indicator ● Silver ● Pearl ● Dark Silver ● Champagne
5	2 833 15		5	2 833 41	
5	2 835 15		5	2 835 41	
10	2 818 16		1 gang - double pole switched with red power indicator ● Silver ● Pearl ● Dark Silver ● Champagne	5	2 831 42
5	2 813 18	2 gang - double pole switched - Dim.: 146 x 86 mm ● Silver ● Pearl ● Dark Silver ● Champagne	5	2 833 42	
5	2 816 18		5	2 835 42	
5	2 817 18		5	2 839 42	
10	2 818 18		2 gang - double pole switched with red power indicator - Dim.: 146 x 86 mm ● Silver ● Pearl ● Dark Silver ● Champagne	5 5 5 5	
5	2 813 17	5 5 5 5	5	2 813 19	
5	2 816 17		5	2 816 19	
5	2 817 17		5	2 817 19	
5	2 818 17		5	2 818 19	

Mallia™ - Euro-US and German standard socket outlets

customisable colours



2 835 02

2 839 22

Plate selection charts p. 32

Painted polycarbonate front cover. Compact mechanism for a larger wiring space. Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection. To be equipped with plates
Dim.: 86 x 86 mm

Euro-US standard socket outlets 10/16 A - 250 V~

Pack	Cat.Nos	2P - 1 gang
5	2 831 00	● Silver
5	2 833 00	● Pearl
5	2 835 00	● Dark Silver
5	2 831 01	● Silver
5	2 833 01	● Pearl
5	2 835 01	● Dark Silver
5	2 831 02	● Silver
5	2 833 02	● Pearl
5	2 835 02	● Dark Silver
5	2 831 03	● Silver
5	2 833 03	● Pearl
5	2 835 03	● Dark Silver
5	2 831 04	● Silver
5	2 833 04	● Pearl
5	2 835 04	● Dark Silver



- Silver
- Pearl
- Dark Silver



- Silver
- Pearl
- Dark Silver



- Silver
- Pearl
- Dark Silver



- Silver
- Pearl
- Dark Silver



- Silver
- Pearl
- Dark Silver

German standard socket outlets 16 A - 250 V~


Pack	Cat.Nos	2P+E - 1 gang
5	2 831 26	● Silver
5	2 833 26	● Pearl
5	2 835 26	● Dark Silver



- Silver
- Pearl
- Dark Silver

Multistandard switched socket outlets - 16 A - 250 V / 15 A - 127 V

Pack	Cat.Nos	2P+E - 1 gang
5	2 831 20	● Silver
5	2 833 20	● Pearl
5	2 835 20	● Dark Silver
5	2 839 20	● Champagne
5	2 821 20	● Matt Black
4	2 831 22	● Silver
4	2 833 22	● Pearl
4	2 835 22	● Dark Silver
4	2 839 22	● Champagne
4	2 821 22	● Matt Black



- Silver
- Pearl
- Dark Silver
- Champagne
- Matt Black




- Silver
- Pearl
- Dark Silver
- Champagne
- Matt Black

US standard socket outlets 15 A - 127 V - SASO

Pack	Cat.Nos	2P+E - 1 gang
5	2 831 05	● Silver
5	2 833 05	● Pearl
5	2 835 05	● Dark Silver
5	2 831 06	● Silver
5	2 833 06	● Pearl
5	2 835 06	● Dark Silver



- Silver
- Pearl
- Dark Silver



- Silver
- Pearl
- Dark Silver

Mallia™

modular socket outlets customisable colours



2 818 56

2 818 59

2 819 31



Plate selection charts p. 32

Painted polycarbonate front cover

Pack	Cat.Nos	Modular socket outlets
		Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes All sockets integrate child protection To be equipped with 2-gang support frames and plates Dim.: 146 x 86 mm
5	2 818 56	1 gang unswitched - British standard - 13 A - 250 V~
5	2 818 75	● Silver
5	2 818 76	● Pearl
		1 gang switched - British standard - 13 A - 250 V~
5	2 818 59	● Silver
5	2 818 78	● Pearl
5	2 818 79	● Dark Silver
		2P+E - 1 gang - Euro - US standard - 10/16 A - 250 V~
8	2 818 48	● Silver
8	2 818 67	● Pearl
8	2 818 68	● Dark Silver

Support frames and plates - for modular socket outlets

Pack	Cat.Nos	2 gang plastic
		Supplied with fixing screws
5	2 819 30	○ White
5	2 819 31	● Silver
5	2 819 32	● Champagne
5	2 819 33	● Pearl
5	2 819 34	● Dark Silver
5	2 819 46	● Brass
5	2 819 47	● Bronze
5	2 819 48	● Matt Black
5	2 819 49	● Copper
		2 gang metal
		Supplied with fixing screws
1	2 819 20	● Brushed Stainless Steel
1	2 819 21	● Gold
1	2 819 22	● Polished Stainless Steel
1	2 819 23	● Lacquered Black



Mallia™

switches for hotels, downlighters and sound distribution - customisable colours



2 838 45



2 834 97



2 833 80



2 831 85

Plate selection charts p. 32

Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
		Key card switches - 15 A Time delay around 30 s
1	2 830 48	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
1	2 832 48	
1	2 834 48	
1	2 838 48	
1	2 820 48	
		Do not disturb / Occupied / Clean up Bell push-buttons
5	2 830 45	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 45	
5	2 834 45	
5	2 838 45	
5	2 820 45	
		Do not disturb / Clean up - 2 gang switches
5	2 830 46	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 46	
5	2 834 46	
5	2 838 46	
5	2 820 46	
		Downlighters
5	2 830 97	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 97	
5	2 834 97	

Pack	Cat.Nos	Stand-alone sound distribution system for 1 single room
		Kit containing: - 1 power supply - 1 tuner - 2 loudspeakers
1	2 831 80	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 80	
1	2 835 80	
		Configurable sound distribution system for several rooms
		Modular power supply 230 V / 15 V - 15 W 5 DIN modules 17.5 mm
1	2 811 81	
		Central units
1	2 831 82	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 82	
1	2 835 82	
		Local control units With LCD display, child surveillance and intercommunication
1	2 831 83	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 83	
1	2 835 83	
		Radio tuner with local control units Dim.: 146 x 86 mm
1	2 831 84	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 84	
1	2 835 84	
		Loudspeakers
1	2 831 85	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 85	
1	2 835 85	

Mallia™

























plates, blanking plates, Arteor adaptors and accessories - customisable



Plate selection charts p. 32

Pack	Cat.Nos	Plates
10	2 819 00	1 gang - plastic <ul style="list-style-type: none"> ○ White ● Silver ● Champagne ● Pearl ● Dark Silver ● Brass ● Bronze ● Matt Black ● Copper
10	2 819 05	
10	2 819 10	
10	2 819 50	
10	2 819 55	
10	2 819 60	
10	2 819 65	
10	2 819 70	
10	2 819 75	
1	2 819 78	
1	2 819 82	
1	2 819 86	
1	2 819 90	
5	2 819 01	2 x 1 gang - plastic <ul style="list-style-type: none"> ○ White ● Silver ● Champagne ● Pearl ● Dark Silver ● Brass ● Bronze ● Matt Black ● Copper
5	2 819 06	
5	2 819 11	
5	2 819 51	
5	2 819 56	
5	2 819 61	
5	2 819 66	
5	2 819 71	
1	2 819 79	2 x 1 gang - metal <ul style="list-style-type: none"> ● Brushed Stainless Steel ● Gold ● Polished Stainless Steel ● Lacquered Black
1	2 819 83	
1	2 819 87	
1	2 819 91	
5	2 819 02	2 gang - Vertical For 2 gang vertical DP switch 45 A (p. 25) <ul style="list-style-type: none"> ○ White ● Silver ● Champagne ● Pearl ● Dark Silver ● Brass ● Bronze ● Matt Black ● Copper ● Brushed Stainless Steel ● Gold ● Polished Stainless Steel ● Lacquered Black
5	2 819 07	
5	2 819 12	
5	2 819 52	
5	2 819 57	
5	2 819 62	
5	2 819 67	
5	2 819 72	
5	2 819 77	
1	2 819 80	
1	2 819 84	
1	2 819 88	
1	2 819 92	

Pack	Cat.Nos	Blanking plates
10	2 811 90	1 gang <ul style="list-style-type: none"> ○ White ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
10	2 831 90	
10	2 833 90	
10	2 835 90	
10	2 818 90	
10	2 821 90	
5	2 811 91	
5	2 831 91	
5	2 833 91	
5	2 835 91	
5	2 811 92	Arteor adaptors 1 gang <ul style="list-style-type: none"> ○ White - Supplied with cover plate ● Silver - Not supplied with cover plate ● Pearl - Not supplied with cover plate ● Dark Silver - Not supplied with cover plate ● Champagne - Not supplied with cover plate ● Matt Black - Not supplied with cover plate
5	2 831 92	
5	2 833 92	
5	2 835 92	
5	2 818 92	
5	2 821 92	
5	2 811 93	2 gang <ul style="list-style-type: none"> ○ White - Supplied with cover plate ● Silver - Not supplied with cover plate ● Pearl - Not supplied with cover plate ● Dark Silver - Not supplied with cover plate
5	2 831 93	
5	2 833 93	
5	2 835 93	
5	2 818 95	Transparent rockers with label holders for switches Can be used instead of the standard rocker plates Supplied with white labels
5	2 818 96	
5	2 818 97	
10	2 819 97	Lamps <ul style="list-style-type: none"> LED 220 V, green low consumption For locator use LED 220 V, red - high luminosity For indicator use
10	2 819 98	

PLATES		PLATES			SUPPORT FRAMES AND PLATES FOR MODULAR SOCKET OUTLETS 
		1 gang	2 x 1 gang		
White 	2 819 00	2 819 01	2 819 02	2 819 30	
Silver 	2 819 05	2 819 06	2 819 07	2 819 31	
Champagne 	2 819 10	2 819 11	2 819 12	2 819 32	
Pearl 	2 819 50	2 819 51	2 819 52	2 819 33	
Dark Silver 	2 819 55	2 819 56	2 819 57	2 819 34	
Brass 	2 819 60	2 819 61	2 819 62	2 819 46	
Bronze 	2 819 65	2 819 66	2 819 67	2 819 47	
Matt Black 	2 819 70	2 819 71	2 819 72	2 819 48	
Copper 	2 819 75	2 819 76	2 819 77	2 819 49	
Metal Brushed Stainless Steel 	2 819 78	2 819 79	2 819 80	2 819 20	
Metal Gold 	2 819 82	2 819 83	2 819 84	2 819 21	
Metal Polished Stainless Steel 	2 819 86	2 819 87	2 819 88	2 819 22	
Metal Lacquered Black 	2 819 90	2 819 91	2 819 92	2 819 23	
PLATES		BLANKING PLATES			ARTEOR ADAPTORS
		1 gang	2 x 1 gang		
White 	2 811 90	2 811 91	2 811 92	2 811 93	
Silver 	2 831 90	2 831 91	2 831 92	2 831 93	
Pearl 	2 833 90	2 833 91	2 833 92	2 833 93	
Dark Silver 	2 835 90	2 835 91	2 835 92	2 835 93	
Champagne  N	2 818 90	-	2 818 92	-	
Matt Black  N	2 821 90	-	2 821 92	-	

Catalogue number index

Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.
2 810 00			2 810 86	1	19	2 811 70	10	20	2 819 00	10	31	2 819 90	1	31	2 830 07	5	24
2 810 00	10	17	2 810 90	1	19	2 811 80	1	23	2 819 01	5	31	2 819 91	1	31	2 830 08	4	24
2 810 01	10	17	2 810 91	1	19	2 811 81	1	23	2 819 02	5	31	2 819 92	1	31	2 830 09	4	24
2 810 02	10	17	2 810 92	1	19	2 811 82	1	23	2 819 05	10	31	2 819 97	10	31	2 830 10	5	24
2 810 03	10	17	2 810 97	5	23	2 811 83	1	23	2 819 06	5	31	2 819 98	10	31	2 830 11	5	24
2 810 04	10	17	2 811 00	10	22	2 811 84	1	23	2 819 07	5	31	2 820 00			2 830 12	5	24
2 810 05	10	17	2 811 01	10	22	2 811 85	1	23	2 819 10	10	31	2 820 00	5	24	2 830 13	5	24
2 810 06	10	17	2 811 02	10	22	2 811 90	10	31	2 819 11	5	31	2 820 01	5	24	2 830 14	5	24
2 810 07	10	17	2 811 03	10	22	2 811 91	5	31	2 819 12	5	31	2 820 02	5	24	2 830 15	5	24
2 810 08	4	17	2 811 04	10	22	2 811 92	5	31	2 819 20	1	29	2 820 03	5	24	2 830 16	5	24
2 810 09	4	17	2 811 05	10	22	2 811 93	5	31	2 819 21	1	29	2 820 04	5	24	2 830 17	5	24
2 810 10	10	17	2 811 06	10	22	2 812 75	5	26	2 819 22	1	29	2 820 05	5	24	2 830 40	5	26
2 810 11	10	17	2 811 10	10	21	2 813 16	5	28	2 819 23	1	29	2 820 06	5	24	2 830 41	5	26
2 810 12	10	17	2 811 11	10	21	2 813 17	5	28	2 819 30	5	29	2 820 07	5	24	2 830 45	5	30
2 810 13	10	17	2 811 12	5	21	2 813 18	5	28	2 819 31	5	29	2 820 08	5	24	2 830 46	5	30
2 810 14	10	17	2 811 13	5	21	2 813 19	5	28	2 819 32	5	29	2 820 09	5	24	2 830 48	1	30
2 810 15	10	17	2 811 14	10	21	2 815 00			2 819 33	5	29	2 820 10	5	24	2 830 50	5	25
2 810 16	10	17	2 811 15	5	21	2 816 16	5	28	2 819 34	5	29	2 820 40	5	26	2 830 51	5	25
2 810 17	10	17	2 811 16	10	21	2 816 17	5	28	2 819 46	5	29	2 820 41	5	26	2 830 52	5	25
2 810 40	10	19	2 811 17	5	21	2 816 18	5	28	2 819 47	5	29	2 820 45	5	30	2 830 53	5	25
2 810 41	10	19	2 811 18	10	21	2 816 19	5	28	2 819 48	5	29	2 820 46	5	30	2 830 54	5	25
2 810 45	10	23	2 811 19	5	21	2 817 16	5	28	2 819 49	5	29	2 820 48	1	30	2 830 55	5	25
2 810 46	10	23	2 811 20	10	22	2 817 17	5	28	2 819 50	10	31	2 820 61	5	25	2 830 60	5	25
2 810 48	1	23	2 811 22	10	22	2 817 18	5	28	2 819 51	5	31	2 820 62	5	25	2 830 61	5	25
2 810 50	10	18	2 811 26	10	22	2 817 19	5	28	2 819 52	5	31	2 820 71	5	25	2 830 62	5	25
2 810 51	10	18	2 811 27	10	21	2 817 18	5	28	2 819 55	10	31	2 820 80	1	26	2 830 65	5	25
2 810 52	10	18	2 811 28	10	21	2 817 19	5	28	2 819 56	5	31	2 820 86	1	26	2 830 66	5	25
2 810 53	10	18	2 811 29	10	21	2 817 75	5	26	2 819 57	5	31	2 821 11	5	28	2 830 67	5	25
2 810 54	10	18	2 811 31	10	21	2 818 16	10	28	2 819 60	10	31	2 821 13	5	28	2 830 68	5	25
2 810 55	10	18	2 811 32	10	21	2 818 17	5	28	2 819 61	5	31	2 821 20	5	29	2 830 69	4	25
2 810 60	10	18	2 811 35	1	20	2 818 18	10	28	2 819 62	5	31	2 821 22	4	29	2 830 71	5	25
2 810 61	10	18	2 811 40	10	21	2 818 19	5	28	2 819 65	10	31	2 821 28	5	28	2 830 72	5	25
2 810 62	10	18	2 811 41	10	21	2 818 47	8	22	2 819 66	5	31	2 821 35	1	27	2 830 73	5	25
2 810 65	10	18	2 811 42	10	21	2 818 48	8	29	2 819 67	5	31	2 821 47	5	27	2 830 80	1	26
2 810 66	10	18	2 811 47	10	20	2 818 55	5	22	2 819 70	10	31	2 821 51	5	27	2 830 81	1	26
2 810 67	10	18	2 811 48	5	20	2 818 56	5	29	2 819 71	5	31	2 821 52	5	27	2 830 82	1	26
2 810 68	10	18	2 811 51	10	20	2 818 58	5	22	2 819 72	5	31	2 821 57	5	27	2 830 84	1	26
2 810 69	4	18	2 811 52	10	20	2 818 59	5	29	2 819 75	10	31	2 821 60	5	27	2 830 85	1	26
2 810 71	10	18	2 811 53	5	20	2 818 67	8	29	2 819 76	5	31	2 821 90	10	31	2 830 86	1	26
2 810 72	10	18	2 811 57	5	20	2 818 68	8	29	2 819 77	5	31	2 821 92	5	31	2 830 90	1	26
2 810 73	5	18	2 811 60	5	20	2 818 75	5	29	2 819 78	1	31	2 830 00			2 830 91	1	26
2 810 75	5	19	2 811 61	5	20	2 818 76	5	29	2 819 79	1	31	2 830 00	5	24	2 830 92	1	26
2 810 80	1	19	2 811 62	5	20	2 818 78	5	29	2 819 80	1	31	2 830 01	5	24	2 830 97	5	30
2 810 81	1	19	2 811 63	5	20	2 818 79	5	29	2 819 82	1	31	2 830 02	5	24	2 831 00	5	29
2 810 82	1	19	2 811 64	5	20	2 818 90	10	31	2 819 83	1	31	2 830 03	5	24	2 831 01	5	29
2 810 84	1	19	2 811 65	5	20	2 818 92	5	31	2 819 84	1	31	2 830 04	5	24	2 831 02	5	29
2 810 85	1	19	2 811 66	5	20	2 818 95	5	31	2 819 86	1	31	2 830 05	5	24	2 831 03	5	29
			2 811 68	5	20	2 818 96	5	31	2 819 87	1	31	2 830 06	5	24	2 831 04	5	29
			2 811 69	5	20	2 818 97	5	31	2 819 88	1	31				2 831 05	5	29

Catalogue number index (continued)

Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.
2 831 06	5	29	2 832 05	5	24	2 833 03	5	29	2 834 02	5	24	2 835 00			2 835 90	10	31
2 831 10	5	28	2 832 06	5	24	2 833 04	5	29	2 834 03	5	24				2 835 91	5	31
2 831 11	5	28	2 832 07	5	24	2 833 05	5	29	2 834 04	5	24	2 835 92	5	31			
2 831 12	5	28	2 832 08	4	24	2 833 06	5	29	2 834 05	5	24	2 835 93	5	31			
2 831 13	5	28	2 832 09	4	24	2 833 10	5	28	2 834 06	5	24	2 838 00	5	24			
2 831 14	5	28	2 832 10	5	24	2 833 11	5	28	2 834 07	5	24	2 838 01	5	24			
2 831 15	5	28	2 832 11	5	24	2 833 12	5	28	2 834 08	4	24	2 838 02	5	24			
2 831 20	5	29	2 832 12	5	24	2 833 13	5	28	2 834 09	4	24	2 838 03	5	24			
2 831 22	4	29	2 832 13	5	24	2 833 14	5	28	2 834 10	5	24	2 838 04	5	24			
2 831 26	5	29	2 832 14	5	24	2 833 15	5	28	2 834 11	5	24	2 838 05	5	24			
2 831 27	5	28	2 832 15	5	24	2 833 20	5	29	2 834 12	5	24	2 838 06	5	24			
2 831 28	5	28	2 832 16	5	24	2 833 22	4	29	2 834 13	5	24	2 838 07	5	24			
2 831 29	5	28	2 832 17	5	24	2 833 26	5	29	2 834 14	5	24	2 838 08	4	24			
2 831 31	5	28	2 832 40	5	26	2 833 27	5	28	2 834 15	5	24	2 838 40	5	26			
2 831 32	5	28	2 832 41	5	26	2 833 28	5	28	2 834 16	5	24	2 838 41	5	26			
2 831 35	1	27	2 832 45	5	30	2 833 29	5	28	2 834 17	5	24	2 838 45	5	30			
2 831 40	5	28	2 832 46	5	30	2 833 31	5	28	2 834 40	5	26	2 838 46	5	30			
2 831 41	5	28	2 832 48	1	30	2 833 32	5	28	2 834 41	5	26	2 838 22	4	29			
2 831 42	5	28	2 832 50	5	25	2 833 35	1	27	2 834 45	5	30	2 835 26	5	29			
2 831 47	5	27	2 832 51	5	25	2 833 40	5	28	2 834 46	5	30	2 835 27	5	28			
2 831 48	5	27	2 832 52	5	25	2 833 41	5	28	2 834 48	1	30	2 835 28	5	28			
2 831 51	5	27	2 832 53	5	25	2 833 42	5	28	2 834 50	5	25	2 835 29	5	28			
2 831 52	5	27	2 832 54	5	25	2 833 47	5	27	2 834 51	5	25	2 835 31	5	28			
2 831 53	5	27	2 832 55	5	25	2 833 48	5	27	2 834 52	5	25	2 835 32	5	28			
2 831 57	5	27	2 832 60	5	25	2 833 51	5	27	2 834 53	5	25	2 835 35	1	27			
2 831 60	5	27	2 832 61	5	25	2 833 52	5	27	2 834 54	5	25	2 835 40	5	28			
2 831 61	5	27	2 832 62	5	25	2 833 53	5	27	2 834 55	5	25	2 835 41	5	28			
2 831 62	5	27	2 832 65	5	25	2 833 57	5	27	2 834 60	5	25	2 835 42	5	28			
2 831 63	5	27	2 832 66	5	25	2 833 60	5	27	2 834 61	5	25	2 835 47	5	27			
2 831 64	5	27	2 832 67	5	25	2 833 61	5	27	2 834 62	5	25	2 835 48	5	27			
2 831 65	5	27	2 832 68	5	25	2 833 62	5	27	2 834 65	5	25	2 835 51	5	27			
2 831 66	5	27	2 832 69	4	25	2 833 63	5	27	2 834 66	5	25	2 835 52	5	27			
2 831 68	5	27	2 832 71	5	25	2 833 64	5	27	2 834 67	5	25	2 835 53	5	27			
2 831 69	5	27	2 832 72	5	25	2 833 65	5	27	2 834 68	5	25	2 835 57	5	27			
2 831 70	5	27	2 832 73	5	25	2 833 66	5	27	2 834 69	4	25	2 835 60	5	27			
2 831 80	1	30	2 832 75	5	26	2 833 68	5	27	2 834 71	5	25	2 835 61	5	27			
2 831 82	1	30	2 832 80	1	26	2 833 69	5	27	2 834 72	5	25	2 835 62	5	27			
2 831 83	1	30	2 832 81	1	26	2 833 70	5	27	2 834 73	5	25	2 835 63	5	27			
2 831 84	1	30	2 832 82	1	26	2 833 80	1	30	2 834 75	5	26	2 835 64	5	27			
2 831 85	1	30	2 832 84	1	26	2 833 82	1	30	2 834 80	1	26	2 835 65	5	27			
2 831 90	10	31	2 832 85	1	26	2 833 83	1	30	2 834 81	1	26	2 835 66	5	27			
2 831 91	5	31	2 832 86	1	26	2 833 84	1	30	2 834 82	1	26	2 835 68	5	27			
2 831 92	5	31	2 832 90	1	26	2 833 85	1	30	2 834 84	1	26	2 835 69	5	27			
2 831 93	5	31	2 832 91	1	26	2 833 90	10	31	2 834 85	1	26	2 835 70	5	27			
2 832 00	5	24	2 832 92	1	26	2 833 91	5	31	2 834 86	1	26	2 835 80	1	30			
2 832 01	5	24	2 832 97	5	30	2 833 92	5	31	2 834 90	1	26	2 835 82	1	30			
2 832 02	5	24	2 833 00	5	29	2 833 93	5	31	2 834 91	1	26	2 835 83	1	30			
2 832 03	5	24	2 833 01	5	29	2 834 00	5	24	2 834 92	1	26	2 835 84	1	30			
2 832 04	5	24	2 833 02	5	29	2 834 01	5	24	2 834 97	5	30	2 835 85	1	30			



FOLLOW US

@ www.legrand.com

 www.youtube.com/user/legrand

 twitter.com/legrand

 pinterest.com/legrandgroup



World headquarters
and International Department
87045 Limoges Cedex - France

Tel. + 33 (0) 5 55 06 87 87
Fax + 33 (0) 5 55 06 74 55